INDEX TO

EXPERIMENTAL MECHANICS

VOLUME 11, 1971

SUBJECT INDEX

Advancements in Holographic Photoelasticity—D. C. Holloway and R. H. Johnson, 57–63 (Feb.).
Aluminum-reinforced Epoxy Models—E. I. Riegner and A. E. Scotese, 38–45 (Jan.).
Application of Holography to Complete Stress Analysis of Photoelastic Models, An—S. K. Dhir and H. A. Peterson, 560–564 (Dec.).
Applied Mechanics, The Shifting Roles of Computers, Experiments and Analysis in—Burton Paul, 385–393 (Sept.).
Aqueous Fatigue Behavior of Polycarbonate, Effects of Molding Temperatures on—O. A. Pringle and R. J. Harker, 507–513 (Nov.).
Axisymmetric Geometries, A Pseudo Two-dimensional Photoelastic Method of Testing—M. E. Fourney, 19–25 (Jan.).

Beam Having Bilinear Support, a, Experimental, and Theoretical Analysis of the Vibrations of—M. A. Dokainish and R. Kumar, 263–270 (June).
Bent Circular Plate with a Central Hole, Elastoplastic Analysis of a—A. J. Durelli, V. J. Parks and T. L. Chen, 453–460 (Oct.).
Birefringence, An Interpretation of Inelastic—Halford F. Brinson, 467–471 (Oct.).
Bone, Holding Characteristics of Fasteners in—D. Bynum, W. B. Ledbetter, C. L. Boyd and D. R. Ray, 363–369 (Aug.).
Boundary Retardation with Respect to the Observed Fringes in Scattered-light Photoelasticity—R. W. Aderholdt and W. F. Swinson, 521–523 (Nov.).

Cantilevered Beams, The Photoelastic Determination of the Stresses in—C. B. Mathews and M. A. Cutchins, 284–287 (June).
Circular-disk Stability with Membrane Stresses, Control of—C. D. Mote, Jr. and L. T. Nieh, 490–498 (Nov.).
Circular Sheets, Comparison of Experimental and Theoretical Results for the Hydrostatic Bulging of—M. M. Shamamy and N. M. Wang, 71–75 (Feb.).
Class, A, of Zero-birefringent Polymers—J. W. Dally and R. Prabhakaran, 26–31 (Jan.).
Class, A, of Zero-birefringent Polymers—Discussion by Hans W. Reinhardt, 31–32 (Jan.).
Columns and Circular Arches, Stability Experiments on the Strongest—J. F. Wilson, D. M. Holloway and S. B. Biggers, 303–308 (July).
Comparison of Experimental and Theoretical Results for Hydrostatic Bulging of Circular Sheets—M. M. Shamamy and N. M. Wang, 71–75 (Feb.).
Composite Cylinder, Considerations and Solutions in Evaluating Thermal Stresses in a—Arthur J. Bush, 87–93 (Feb.).
Computer-simulated Stress-Optic Patterns—Robert J. Sanford, 418–420 (Sept.).
Concepts of Model Analysis, Basic Principals and—Donald F. Young, 325–336 (July).
Control of Circular-disk Stability with Membrane Stresses—C. D. Mote, Jr. and L. T. Nieh, 490–498 (Nov.).
Constant-stresses Biaxial-creep Testing of Tubes and Spheres—Abir Arbel, 176–177 (April).
Contact Problems, Advances in the Embedded-strain-gage Technique with an Application to—M. Derenne and A. Bazergui, 105–112 (March).
Cracked Plates under Bending Fields, Influence of Precatastrophic Extension and Other Effects on Local Stresses in—D. G. Smith and C. W. Smith, 394–401 (Sept.).
Crack Tips, A New Technique for Viewing Deformation Zones at—D. Hoeppner, V. Danford and D. E. Pettit, 280–283 (June).
Creep Laws, Evaluation of, and Flow Criteria for Two Metals Subjected to Stepped Load and Temperature Changes—O. M. Sidebottom, T. W. Pickel, Jr. and A. P. Boresi, 202–209 (May).
Cylindrical Cavities in Rock, Deformation and Fracture Around Lined and Unlined—I. M. Daniel and R. E. Rowlands, 473–480 (Oct.).

Deflection Measurements Using Moiré Gap Effect—F. P. Chiang and B. Ranganayakamma, 296–302 (July).
Deformation and the Strip Necking Zone in a

PUBLISHED BY SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS, 21 BRIDGE SQUARE, WESTPORT, CONN. 06880

Cracked Steel Sheet—B. J. Schaeffer, H. W. Liu and J. S. Ke, 172–175 (April).
Deformation and Fracture Around Lined and Unlined Cylindrical Cavities in Rock—I. M. Daniel and R. E. Rowlands, 473–480 (Oct.).
Deformation Zones at Crack Tips, A New Technique for Viewing—D. Hoeppner, V. Danford and D. E. Pettit, 280–283 (June).
Design and Evaluation of a Testing Machine for Determining Tensile Properties of Materials at Moderate Strain Rates—J. C. Lindholm and R. L. Craft, 153–160 (April).
Design-stress Basis for Pressure Vessels—Bernard F. Langer, 1–11 (Jan.).
Diffraction Gratings, A Method for Directly Determining Surface Strain Fields Using—Pierre M. Boone, 481–489 (Nov.).
Diffractographic Strain Gage, The—T. R. Pryor and W. P. T. North, 565–568 (Dec.).
Digital Control for Material Testing—K. Duaine Ives, 524–528 (Nov.).
Dynamic Micro-torque Transducer—L. Z. Shuck, J. L. Fogle and R. R. Haynes, 276–279 (June).
Dynamic Properties at Elevated Temperature, On High-frequency Fatigue and—A. Thiruvengadam and A. F. Conn, 315–320 (July).

Effects in Several Metals in Torsion, Strain-rate and Strain-rate-history—Theodore Nicholas, 370–374 (Aug.).
Effects of Molding Temperatures on Aqueous Fatigue Behavior of Polycarbonate—O. A. Pringle and R. J. Harker, 507–513 (Nov.).
Elastic Plate, Plane Near-field Response of an—W. W. Recker and R. J. Skop, 321–324 (July).
Elastic-Plastic Strain Concentrations Produced by Various Skew Holes in a Flat Plate under Uniaxial Tension—Charles A. Rau, Jr., 133–141 (March).
Elasticity and its Application to Photomechanics, Stress-difference—Larry J. Segerlind, 440–445 (Oct.).
Elastoplastic Analysis of a Bent Circular Plate with a Central Hole—A. J. Durelli, V. J. Parks and T. L. Chen, 453–460 (Oct.).
Electronic-measurement Techniques Solve Soil-mechanics Problems—Grant D. Rummell, 19N–20N (Aug.).
Embedded-strain-gage Technique, Advances in the, with an Application to Contact Problems—M. Derenne and A. Bazergui, 105–112 (March).
Energy Disposition, Size Effects and, in Impact-specimen Testing of ASTM A 533 Grade B Steel—F. J. Witt and R. G. Berggren, 193–201 (May).
Epoxy Hysol 4290, Temperature and Time Influence in the Stress Freezing of the—V. J. Parks, T. L. Chen and A. J. Durelli, 33–37 (Jan.).
Epoxy-model Pressure Vessels, Producing, for Fracture Tests—A. A. Abbatiello, R. W. Derby and T. A. King, 46–48 (Jan.).
Epoxy Models, Aluminum-reinforced—E. I. Riegner and A. E. Scotese, 38–45 (Jan.).
Error Associated with Graphical Parametric Operations, An—V. J. Parks and A. J. Durelli, 429–432 (Sept.).
Experimental Stress Analysis, Radio Telemetry In—Joseph Valentich, 569–576 (Dec.).

Fasteners in Bone, Holding Characteristics of—D. Bynum, W. B. Ledbetter, C. L. Boyd and D. R. Ray, 363–369 (Aug.).
Fatigue-crack Growth in Polymethylmethacrylate—B. Mukherjee and D. J. Burns, 433–439 (Oct.).
Fatigue-crack Growth, Ultrasonic Detection of High-temperature—F. Jeglic, P. Niessen and D. J. Burns, 82–85 (Feb.).
Fatigue-endurance Distributions, On the Modality of—G. K. Korbacher, 540–547 (Dec.).
Fatigue, Fracture Mechanics in—William G. Clark Jr., 421–428 (Sept.).
Fe-3 Si Steel Etching Technique, The, for Local Strain Measurement—G. T. Hahn, P. N. Minger and A. R. Rosenfield, 248–253 (June).
Fillets, Effective Stress Concentrations for, in Landed Structures—Clarence R. Smith, 167–171 (April).
Flow Criteria, Evaluation of Creep Laws and, for Two Metals Subjected to Stepped Load and Temperature Changes—O. M. Sidebottom, T. W. Pickel, Jr. and A. P. Boresi, 202–209 (May).
Force-Displacement Recorder, A Portable Mechanical—J. S. Johnston and A. St.-Laurent, 19N (Dec.).
Fracture Around Lined and Unlined Cylindrical Cavities in Rock, Deformation and—I. M. Daniel and R. E. Rowlands, 473–480 (Oct.).
Fracture Mechanics in Fatigue—William G. Clark, Jr., 421–428 (Sept.).
Fracture Tests, Producing Epoxy-model Pressure Vessels for—A. A. Abbatiello, R. W. Derby and T. A. King, 46–48 (Jan.).
Frame Subassemblages, Testing Facility for—V. V. Bertero and E. V. Popov, 337–345 (Aug.).
Fringes, Interpretation of, in Stress-Holo-Interferometry—R. J. Sanford and A. J. Durelli, 161–166 (April).

Glass-bonding Techniques for Semiconductor Strain Gages—W. A. Leasure, Jr., N. Woodruff and C. Gravel, 235–240 (May).
Glass Plates, On the Studies of Residual Stresses in—J. T. Pindera and N. K. Sinha, 113–120 (March).
Graphical Parametric Operations, An Error Associated with—V. J. Parks and A. J. Durelli, 429–432 (Sept.).

Heating and Reinforcing Effects, Single-strand Strainwire Technique:—L. Wade, J. R. Zelonka and E. M. Krokosky, 94–96 (Feb.).
High-frequency Fatigue and Dynamic Properties at Elevated Temperature, On—A. Thiruvengadam and A. F. Conn, 315–320 (July).
Holding Characteristics of Fasteners in Bone—D. Bynum, W. B. Ledbetter, C. L. Boyd and D. R. Ray, 363–369 (Aug.).
Holographic and Analytic Study of Semiclamped Rectangular Plate Supported by Struts—A. D. Wilson, C. H. Lee, H. R. Lominac and D. H. Strope, 229–234 (May).
Holographic Bed, The—R. Mark and F. Horsch, 472 (Oct.).
Holographic Interferometer, A New, for Stress Analysis—R. O'Regan and T. D. Dudderar, 241–247 (June).
Holographic Interferometry, Measurement of a Strain Field Near a Crack Tip in Polymethylmethacrylate by—T. D. Dudderar and R. O'Regan, 49–56 (Feb.).
Holographic Interferometry to the Measurement of Propagating Transverse Waves in Beams, Application of Pulsed—R. Aprahamian, D. A. Evensen, J. S. Mixson and J. E. Wright, 309–314 (July).
Holographic Photoelasticity, Advancements in—D. C. Holloway and R. H. Johnson, 57–63 (Feb.).
Holographic Study of Propagating Transverse Waves in Plates—R. Aprahamian, D. A. Evensen, J. S. Mixson and J. L. Jacoby, 357–362 (Aug.).
Holography to Complete Stress Analysis of Photoelastic Models, An Application of—S. K. Dhir and H. A. Peterson, 560–564 (Dec.).
Human Femur, Load Actions on the, in Walking and Some Resultant Stresses—John P. Paul, 121–126 (March).
Human Hip Joint, A Proposed Method for Measuring Pressures on the—Charles E. Carlson, 499–506 (Nov.).

Impact Phenomenon Between a Sphere and a Layered Structure, Study on—R. G. Bayer and R. C. Burns, 461–466 (Oct.).
Impulsive Loads, Measured Dynamic-load Factors of Cantilever Beams, Frame Structures and Rings Subjected to—Shin-Ichi Suzuki, 76–81 (Feb.).
Inelastic Birefringence, An Interpretation of—Halford F. Brinson, 467–471 (Oct.).
Interpretation of Inelastic Birefringence, An—Halford F. Brinson, 467–471 (Oct.).

XUM

Isoclinic-parameter Determination, Role of Light Ellipse in Photoelasticity and New Methods for—L. S. Srinath and A. V. S. S. S. R. Sarma, 271–275 (June).
Isoclinic Patterns at Several Isoclinic Angles, A Method of Simultaneously Recording Full-field—R. R. Parmerter and J. Rahn, 414–417 (Sept.).

Layered Model, Wave Propagation in a, Due to Point-source Loading in Low-impedance Medium—I. M. Daniel and R. L. Marino, 210–216 (May).
Layered Structure, Study on Impact Phenomenon Between a Sphere and a—R. G. Bayer and R. C. Burns, 461–466 (Oct.).
Load Actions on the Human Femur in Walking and Some Resultant Stresses—John P. Paul, 121–125 (March).
Local Strain Measurement, The Fe-3Si Steel Etching Technique for—G. T. Hahn, P. N. Minger and A. R. Rosenfield, 248–253 (June).
Local Stresses in Cracked Plates under Bending Fields, Influence of Precatastrophic Extension and Other Effects on—D. G. Smith and C. W. Smith, 394–401 (Sept.).

Magnetic Method, A, for the Determination of Residual Stress—S. Abuku and B. D. Cullity, 217–223 (May).
Material Testing, Digital Control for—K. Duaine Ives, 524–528 (Nov.).
Materials, On Real and Ideal—Philip G. Hodge, Jr., 12–18 (Jan.).
Measured Dynamic-load Factors of Cantilever Beams, Frame Structures and Rings Subjected to Impulsive Loads—Shin-ichi Suzuki, 76–81 (Feb.).
Measurement of Poisson's Ratio for Modeling Clay, On the —S. H. Crandall, L. G. Kurzweil and A. K. Nigam, 402–407 (Sept.).
Measurement of the Strain Field Near a Crack Tip in Polymethylmethacrylate by Holographic Interferometry—T. D. Dudderar and R. O'Regan, 49–56 (Feb.).
Measuring Pressures on the Human Hip Joint, A Proposed Method for—Charles E. Carlson, 499–506 (Nov.).
Mechanical Force-Displacement Recorder, A Portable —J. S. Johnston and A. St-Laurent, 19N (Dec.).
Membrane Stresses, Control of Circular-disk Stability with—C. D. Mote, Jr. and L. T. Nieh, 490–498 (Nov.).
Metals in Torsion, Strain-rate and Strain-rate-history Effects in Several—Theodore Nicholas, 370–374 (Aug.).
Method for Directly Determining Surface Strain Fields Using Diffraction Gratings, A—Pierre M. Boone, 481–489 (Nov.).
Method for Measuring Pressures on the Human Hip Joint, A Proposed—Charles E. Carlson, 499-506 (Nov.).
Method of Simultaneously Recording Full-field Isoclinic Patterns at Several Isoclinic Angles, A—R. R. Parmerter and J. Rahn, 414–417 (Sept.).
Modality of Fatigue-endurance Distributions, On the —G. K. Korbacher, 540-547 (Dec.).
Model Analysis, Basic Principals and Concepts of—Donald F. Young, 325-336 (July).
Modeling Clay, On the Measurement of Poisson's Ratio for—S. H. Crandall, L. G. Kurzweil and A. K. Nigam, 402–407 (Sept.).
Moiré-fring Multiplication, Strain Analysis by—D. Post and T. F. MacLaughlin, 408–413 (Sept.).
Moiré Gap Effect, Deflection Measurements Using—F. P. Chiang and B. Ranganayakamma, 296–302 (July).
Moiré Grids, The Rapid Deposition of—A. R. Luxmoore and R. Hermann, 375–377 (Aug.).
Molding Temperatures on Aqueous Fatigue Behavior of Polycarbonate, Effects of—O. A. Pringle and R. J. Harker, 507–513 (Nov.).
Monotonic Loading, Plastic Stress-Strain History at Notch Roots in Tensile Strips under—Ralph Papirno, 446–452 (Oct.).
Multiplication Technique, On a, Applied to Very Thin Photoelastic Coatings—P. Bohler and W. Schumann, 289–295 (July).

Notch Roots in Tensile Strips under Monotonic Loading, Plastic Stress-Strain History at—Ralph Papirno, 446–452 (Oct.).

On Real and Ideal Materials—Philip G. Hodge, Jr., 12–18 (Jan.).
Optical Differentiation of the Displacement Patterns Using Shearing Interferometry by Wavefront Reconstruction—C. A. Sciammarella and T. Y. Chang, 97–104 (March).
Oval Cylindrical Shells, Stability of—G. Feinstein, B. Erickson and J. Kempner, 514-520 (Nov.).

Photoelastic Coatings, On a Multiplication Technique Applied to Very Thin—P. Bohler and W. Schumann, 289–295 (July).
Photoelastic Determination of Stress-intensity Factors—R. H. Marloff, M. M. Leven, T. N. Ringler and R. L. Johnson, 529–539 (Dec.).
Photoelastic Determination, The, of the Stresses in Vibrating Cantilevered Beams—C. B. Mathews and M. A. Cutchins, 284–288 (June).
Photoelastic Method, A Pseudo Two-dimensional, of Testing Axisymmetric Geometries—M. E. Fourney, 19–25 (Jan.).
Photoelasticity, Establishing the Boundary Retardation with Respect to the Observed Fringes in Scattered-light—R. W. Aderholdt and W. F. Swinson, 521–523 (Nov.).
Photoelasticity, Role of Light Ellipse in, and New Methods for Isoclinic-parameter Determination—L. S. Srinath and A. V. S. S. S. R. Sarma, 271–275 (June).
Photomechanics, Stress-difference Elasticity and its Application to—Larry J. Segerlind, 440–445 (Oct.).
Photo-orthotropic-elasticity—J. W. Dally and R. Prabhakaran, 346–356 (Aug.).
Photostrain Technique, Single-strand Strainwire Technique: Comparison with Existing Methods and a Proposed—L. Wade, E. M. Krokosky and J. R. Zelonka, 142–144 (March).
Piezoelectric, A, Field-effect Strain Gage—John C. Crawford, 145–152 (April).
Piping Components, Testing of Large, under Mechanical and Pressure Loadings—B. Roberts and J. K. Hayes, 178–184 (April).
Plane Near-field Response of an Elastic Plate— W. W. Recker and R. J. Skop, 321–324 (July).
Plane-stress Conditions, Yield under—M. S. Gregory and I. F. Jones, 126–129 (March).
Plastic Stress-Strain History at Notch Roots in Tensile Strips under Monotonic Loading—Ralph Papirno, 446–452 (Oct.).
Plate Impact and Plastic Deformation by Projectiles —P. Beynet and R. Plunkett, 64–70 (Feb.).
Poisson's Ratio for Modeling Clay, On the Measurement of—S. H. Crandall, L. G. Kurzweil and A. K. Nigam, 402–407 (Sept.).
Polycarbonate, Effects of Molding Temperatures on Aqueous Fatigue Behavior of—O. A. Pringle and R. J. Harker, 507–513 (Nov.).
Polymethlmethacrylate, Fatigue-crack Growth in—B. Mukherjee and D. J. Burns, 433–439 (Oct.).
Precatastrophic Extension and Other Effects on Local Stresses in Cracked Plates under Bending Fields, Influences of—D. G. Smith and C. W. Smith, 394–401 (Sept.).
Pressure Vessels, Design-stress Basis for—Bernard F. Langer, 1–11 (Jan.).
Principals and Concepts of Model Analysis, Basic—Donald F. Young, 325–336 (July).
Principal-stress Differences in Transverse Planes of Symmetry—Laxmipuram S. Srinath, 130–132 (March).
Projectiles, Plate Impact and Plastic Deformation by —P. Beynet and R. Plunkett, 64–70 (Feb.).
Propagating Transverse Waves in Beams, Application of Pulsed Holographic Interferometry to the Measurement of—R. Aprahamian, D. A. Even-

sen, J. S. Mixson and J. E. Wright, 309–314 (July).
Propagating Transverse Waves in Plates, Holographic Study of—R. Aprahamian. D. A. Evensen, J. S. Mixson and J. L. Jacoby, 357–362 (Aug.).

Radio Telemetry in Experimental Stress Analysis—Joseph Valentich, 569–576 (Dec.).
Radio Telemetry, Wireless Strain and Temperature Measurement with—Alan Adler, 378–384 (Aug.)
Rapid Deposition of Moiré Grids, The —A. R. Luxmoore and R. Hermann, 375–377 (Aug.).
Recording Full-field Isoclinic Patterns at Several Isoclinic Angles, A Method of Simultaneously—R. R. Parmerter and J. Rahn, 414-417 (Sept.).
Reduction, Two Systems for Automatic, of Time-dependent Photomechanics Data—Discussion by A. J. Durelli, 228 (May).
Reflection-moiré Method, Strain Measurement by the —M. S. Gregory, A. W. Christian and I. F. Jones, 86 (Feb.).
Residual Stress, A Magnetic Method for the Determination of—S. Abuku and B. D. Cullity, 217–223 (May).
Residual Stresses, On the Studies of, in Glass Plates —J. T. Pindera and N. K. Sinha, 113–120 (March).
Roles of Computers, Experiments and Analysis in Applied Mechanics, The Shifting—Buton Paul, 385–393 (Sept.).
Rosette, Scattered-light—J. D. Fishburn, R. W. Aderholdt, W. F. Ranson and W. F. Swinson, 554–559 (Dec.).

Scattered-light Photoelasticity, Establishing the Boundary Retardation with Respect to the Observed Fringes in—R. W. Aderholdt and W. F. Swinson, 521–523 (Nov.).
Scattered-light Rosette—J. D. Fishburn, R. W. Aderholdt, W. F. Ranson and W. F. Swinson, 554–559 (Dec.).
Self-stress Concentrations—R. H. Todd and H. O. Fuchs, 548–553 (Dec.).
Semiclamped Rectangular Plate, Holographic, and Analytic Study of, Supported by Struts—A. D. Wilson, C. H. Lee, H. R. Lominac and D. H. Strope, 229–234 (May).
Semiconductor Strain Gages, Glass-bonding Techniques for—W. A. Leasure, Jr., N. Woodruff and C. Gravel, 235-240 (May).
Shear, A Method of Testing Thin Webs in—M. M. Balaban and W. T. Jackson, 224–227 (May).
Shearing Interferometry, Optical Differentiation of the Displacement Patterns Using, by Wavefront Reconstruction—C. A. Sciammarella and T. Y. Chang, 97–104 (March).
Single-strand Strainwire Technique: Comparison with Existing Methods and a Proposed Photostrain Technique—L. Wade, E. M. Krokosky and J. R. Zelonka, 142–144 (March).
Single-strand Strainwire Technique: Heating and Reinforcing Effects—L. Wade, J. R. Zelonka and E. M. Krokosky, 94–96 (Feb.).
Size Effects and Energy Disposition in Impact-specimen Testing of ASTM A 533 Grade B Steel—F. J. Witt and R. G. Berggren, 193–201 (May).
Skew Holes, Elastic-Plastic Strain Concentrations Produced by Various, in a Flat Plate under Uniaxial Tension—Charles A. Rau, Jr., 133–141 (March).
Soil-mechanics Problems, Electronic-measurement Techniques Solve—Grant D. Rummell, 19N–20N (Aug).
Spherical and Paraboloidal Shells, Experiments on the Stability of—D. S. Kruger and P. G. Glockner, 254–262 (June).
Stability, Experiments on the, of Spherical and Paraboloidal Shells—D. S. Kruger and P. G. Glockner, 254–262 (June).
Stability Experiments on the Strongest Columns and Circular Arches—J. F. Wilson, D. M. Holloway, and S. B. Biggers, 303–308 (July).
Stability of Oval Cylindrical Shells—G. Feinstein, B. Erickson and J. Kempner, 514–520 (Nov.).
Strain Analysis by Moiré-fringe Multiplication—D. Post and T. F. MacLaughlin, 408–413 (Sept.).
Strain Gage, A Piezoelectric Field-effect—John C. Crawford, 145–152 (April).
Strain Gage, The Diffractographic—T. R. Pryor and W. P. T. North, 565–568 (Dec.).
Strain Measurement by the Reflection-moiré Method —M. S. Gregory, A. W. Christian and I. F. Jones, 86 (Feb.).
Strain Measurements on Steam Turbines—T. J. David, 185–192 (April).
Strain-rate and Strain-rate-history Effects in Several Metals in Torsion—Theodore Nicholas, 370-374 (Aug.).
Stress Analysis of Photoelastic Models, An Application of Holography to Complete—560–564 (Dec.).
Stress Analysis, A New Holographic Interferometer for—R. O'Regan and T. D. Dudderar, 241–247
Stress Concentrations, Effective, for Fillets in Landed Structures—Clarence R. Smith, 167–171 (April).
Stress-difference Elasticity and its Application to Photomechanics—Larry J. Segerlind, 440–445 (Oct.).
Stress-Holo-Interferometry, Interpretation of Fringes in—R. J. Sanford and A. J. Durelli, 161–166 (April).
Stress-Intensity Factors, Photoelastic Determination of—R. H. Marloff, M. M. Leen, T. N. Ringler and R. L. Johnson, 529–539 (Dec.).
Stress-Optic Patterns, Computer-simulated—Robert J. Sanford, 418-420 (Sept.).
Strip Necking Zone, Deformation and the, in a Cracked Steel Sheet—B. J. Schaeffer, H. W. Liu and J. S. Ke, 172–175 (April).
Surface Strain Fields Using Diffraction Gratings, A Method for Directly Determining—Pierre M. Boone, 481–489 (Nov.).

Temperature and Time Influence in the Stress Freezing of the Epoxy Hysol 4290—V. J. Parks, T. L. Chen and A. J. Durelli, 33–37 (Jan.).
Temperature Measurement with Radio Telemetry, Wireless Strain and—Alan Adler, 378–384 (Aug.).
Testing, Constant-stresses Biaxial-creep, of Tubes and Spheres—Abir Arbel, 176–177 (April).
Testing Facility for Frame Subassemblages—V. V. Bertero and E. V. Popov, 337–345 (Aug.).
Testing Machine, Design and Evaluation of a, for Determining Tensile Properties of Materials at Moderate Strain Rates—J. C. Lindholm and R. L. Craft, 153–160 (April).
Testing of Large Piping Components under Mechanical and Pressure Loadings—B. Roberts and J. K. Hayes, 178–184 (April).
Thermal Stresses, Considerations and Solutions in Evaluating, in a Composite Cylinder—Arthur J. Bush, 87–93 (Feb.).
Thin Webs, A Method of Testing, in Shear—M. M. Balaban and W. T. Jackson, 224–227 (May).
Time-dependent Photomechanics Data, Two Systems for Automatic Reduction of—Discussion by A. J. Durelli, 228 (May).
Transducer, Dynamic Micro-torque—L. Z. Shuck, J. L. Fogle and R. R. Haynes, 276–279 (June).
Transverse Planes of Symmetry, Principal-stress Differences in—Laxmipuram S. Srinath, 130–132 (March).
Transverse Waves in Beams, Application of Pulsed Holographic Interferometry to the Measurement of—R. Aprahamian, D. A. Evensen, J. S. Mixson and J. E. Wright, 309–314 (July).
Transverse Waves in Plates, Holographic Study of Propagating—R. Aprahamian, D. A. Evensen, J. S. Mixson and J. L. Jacoby, 357–362 (Aug.).

Ultrasonic Detection of High-temperature Fatigue-crack Growth—F. Jeglic P. Niessen and D. J. Burns, 82–85 (Feb.).

Vibrations, Experimental and Theoretical Analysis of the, of a Beam Having Bilinear Support—M. A.

XUM

Dokainish and R. Kumar, 263–270 (June).

Wave Propagation in a Layered Model Due to Point-source Loading in Low-impedance Medium—I. M. Daniel and R. L. Marino, 210-216 (May).
Wireless Strain and Temperature Measurement with Radio Telemetry—Alan Adler, 378–384 (Aug.).

Yield under Plane-stress Conditions—M. S. Gregory and I. F. Jones, 126–129 (March).

Zero-birefringent Polymers, A Class of—J. W. Dally and R. Prabhakaran, 26–31 (Jan.).
Zero-birefringent Polymers, A Class of—Discussion by Hans W. Reinhardt, 31–32 (Jan.).

AUTHOR INDEX

Abbatiello, A. A.—Producing Epoxy-model Pressure Vessels for Fracture Tests, 46–48 (Jan.).
Abuku, S.—A Magnetic Method for the Determination of Residual Stress, 217–223 (May).
Aderholdt, R.—Establishing the Boundary Retardation with Respect to the Observed Fringes in Scattered-light Photoelasticity, 521–523 (Nov.).
Aderholdt, R. H.—Scattered-light Rosette, 554–559 (Dec.).
Adler, Alan—Wireless Strain and Temperature Measurement with Radio Telemetry, 378–384 (Aug.).
Aprahamian, R.—Application of Pulsed Holographic Interferometry to the Measurement of Propagating Transverse Waves in Beams, 309–314 (July).
Aprahamian, R.—Holographic Study of Propagating Transverse Waves in Plates, 357–362 (Aug.).
Arbel, Abir—Constant-stresses Biaxial-creep Testing of Tubes and Spheres, 176–177 (April).

Balaban, M. M.—A Method of Testing Thin Webs in Shear, 224–227 (May).
Bayer, R. G.—Study of Impact Phenomenon Between a Sphere and a Layered Structure, 461–466 (Oct.).
Bazergui, A.—Advances in the Embedded-strain-gage Technique with an Application to Contact Problems, 105–112 (March).
Berggren, R. G.—Size Effects and Energy Disposition in Impact-specimen Testing of ASTM A 533 Grade B Steel, 193–201 (May).
Bertero, V. V.—Testing Facility for Frame Subassemblages, 337–345 (Aug.).
Beynet, P.—Plate Impact and Plastic Deformation by Projectiles, 64–70 (Feb.).
Biggers, S. B.—Stability Experiments on the Strongest Columns and Circular Arches, 303–308 (July).
Bohler, P.—On a Multiplication Technique Applied to Very Thin Photoelastic Coatings, 289–295 (July).
Boone, Pierre M.—A Method for Directly Determining Surface Strain Fields Using Diffraction Gratings, 481–489 (Nov.).
Boresi, A. P.—Evaluation of Creep Laws and Flow Criteria for Two Metals Subjected to Stepped Load and Temperature Changes, 202–209 (May).
Boyd, C. L.—Holding Characteristics of Fasteners in Bone, 363–369 (Aug.).
Brinson, Halford F.—An Interpretation of Inelastic Birefringence, 467–471 (Oct.).
Burns, D. J.—Fatigue-crack Growth in Polymethylmethacrylate, 433–439 (Oct.).
Burns, D. J.—Ultrasonic Detection of High-temperature Fatigue-crack Growth, 82–85 (Feb.).
Burns, R. C.—Study on Impact Phenomenon Between a Sphere and a Layered Structure, 461–466 (Oct.).
Bush, Arthur J.—Considerations and Solutions in Evaluating Thermal Stresses in a Composite Cylinder, 87–93 (Feb.).
Bynum, D.—Holding Characteristics of Fasteners in Bone, 363–369 (Aug.).

Carlson, Charles E.—A Proposed Method for Measuring Pressures on the Human Hip Joint, 499–506 (Nov.).
Chang, T. Y.—Optical Differentiation of the Displacement Patterns Using Shearing Interferometry by Wavefront Reconstruction, 97–104 (March).
Chen, T. L.—Elastoplastic Analysis of a Bent Circular Plate with a Central Hole, 453–460 (Oct.).
Chen, T. L.—Temperature and Time Influence in the Stress Freezing of the Epoxy Hysol 4290, 33–37 (Jan.).
Chiang, F. P.—Deflection Measurements Using Moiré Gap Effect, 296–302 (July).
Christian, A. W.—Strain Measurement by the Reflection-moiré Method, 86 (Feb.).
Clark, William G.—Fracture Mechanics in Fatigue, 421–428 (Sept.).
Conn, A. F.—On High-frequency Fatigue and Dynamic Properties at Elevated Temperature, 315–320 (July).
Craft, R. L.—Design and Evaluation of a Testing Machine for Determining Tensile Properties of Materials at Moderate Strain Rates, 153–160 (April).
Crandall, S. H.—On the Measurement of Poisson's Ratio for Modeling Clay, 402–407 (Sept.).
Crawford, John C.—A Piezoelectric Field-effect Strain Gage, 145–152 (April).
Cullity, B. D.—A Magnetic Method for the Determination of Residual Stress, 217–223 (May).
Cutchins, M. A.—The Photoelastic Determination of the Stresses in Vibrating Cantilevered Beams, 284–288 (June).

Dally, J. W.—A Class of Zero-birefringent Polymers, 26–31 (Jan.).
Dally, J. W.—Photo-orthotropic-elasticity, 346–356 (Aug.).
Danford, V.—A New Technique for Viewing Deformation Zones at Crack Tips, 280–283 (June).
Daniel, I. M.—Deformation and Fracture Around Lined and Unlined Cylindrical Cavities in Rock, 473–480 (Oct.).
Daniel, I. M.—Wave Propagation in a Layered Model Due to Point-source Loading in Low-impedance Medium, 210–216 (May).
David, T. J.—Strain Measurements on Steam Turbines, 185–192 (April).
Derby, R. W.—Producing Epoxy-model Pressure Vessels for Fracture Tests, 46–48 (Jan.).
Derenne, M.—Advances in the Embedded-strain-gage Technique with an Application to Contact Problems, 105–112 (March).
Dhir, S. K.—An Application of Holography to Complete Stress Analysis of Photoelastic Models, 560–564 (Dec.).
Dokanish, M. A.—Experimental and Theoretical Analysis of the Vibrations of a Beam Having Bilinear Support, 263–270 (June).
Dudderar, T. D.—A New Holographic Interferometer for Stress Analysis, 241–247 (June).
Dudderar, T. D.—Measurement of the Strain Field Near a Crack Tip in Polymethylmethacrylate by Holographic Interferometry, 49–56 (Feb.).
Durelli, A. J.—An Error Associated with Graphical Parametric Operations, 429–432 (Sept.).
Durelli, A. J.—Elastoplastic Analysis of a Bent Circular Plate with a Central Hole, 453–460 (Oct.).
Durelli, A. J.—Interpretation of Fringes in Stress-Holo-Interferometry, 161–166 (April).
Durelli, A. J.—Temperature and Time Influence in the Stress Freezing of the Epoxy Hysol 4290, 33–37 (Jan.).
Durelli, A. J.—Two Systems for Automatic Reduction of Time-dependent Photomechanics Data, 228 (May).

ERICKSON, B.—Stability of Oval Cylindrical Shells, 514–520 (Nov.).
EVENSEN, D. A.—Application of Pulsed Holographic Interferometry to the Measurement of Propagating Transverse Waves in Beams, 309–314 (July).
EVENSEN, D. A.—Holographic Study of Propagating Transverse Waves in Plates, 357–362 (Aug.).

FEINSTEIN, G.—Stability of Oval Cylindrical Shells, 514–520 (Nov.).
FISHBURN, J. D.—Scattered-light Rosette, 554-559 (Dec.).
FOGLE, J. L.—Dynamic Micro-torque Transducer, 276–279 (June).
FOURNEY, M. E.—A Pseudo Two-dimensional Photoelastic Method of Testing Axisymmetric Geometries, 19-25 (Jan.).
FUCHS, H. O.—Self-stress Concentrations, 548-553 (Dec.).

GLOCKNER, P. G.—Experiments on the Stability of Spherical and Paraboloidal Shells, 254–262 (June).
GRAVEL, C.—Glass-bonding Techniques for Semiconductor Strain Gages, 235–240 (May).
GREGORY, M. S.—Strain Measurement by the Reflection-moiré Method, 86 (Feb.).
GREGORY, M. S.—Yield under Plane-stress Conditions, 126–129 (March).

HAHN, G. T.—The Fe-3Si Steel Etching Technique for Local Strain Measurement, 248-253 (June).
HARKER, R. J.—Effects of Molding Temperatures on Aqueous Fatigue Behavior of Polycarbonate, 507–513 (Nov.).
HAYES, J. K.—Testing of Large Piping Components under Mechanical and Pressure Loadings, 178–184 (April).
HAYNES, R. R.—Dynamic Micro-torque Transducer, 276–279 (June).
HERMANN, R.—The Rapid Deposition of Moiré Grids, 375–377 (Aug.).
HODGE, PHILIP G., JR.—On Real and Ideal Materials, 12–18 (Jan.).
HOEPPNER, D.—A New Technique for Viewing Deformation Zones at Crack Tips, 280–283 (June).
HOLLOWAY, D. C.—Advancements in Holographic Photoelasticity, 57–63 (Feb.).
HOLLOWAY, D. M.—Stability Experiments on the Strongest Columns and Circular Arches, 303–308 (July).
HORSCH, F.—The Holographic Bed, 472 (Oct.).

IVES, K. DUAINE—Digital Control for Material Testing, 524–528 (Nov.).

JACKSON, W. T.—A Method of Testing Thin Webs in Shear, 224–227 (May).
JACOBY, J. L.—Holographic Study of Propagating Transverse Waves in Plates, 357–362 (Aug.).
JEGLIC, F.—Ultrasonic Detection of High-temperature Fatigue-crack Growth, 82–85 (Feb.).
JOHNSON, R. H.—Advancements in Holographic Photoelasticity, 57–63 (Feb.).
JOHNSON, R. L.—Photoelastic Determination of Stress-intensity Factors, 529–539 (Dec.).
JOHNSTON, J. S.—A Portable Mechanical Force–Displacement Recorder, 19N (Dec.).
JONES, I. F.—Strain Measurement by the Reflection-moiré Method, 86 (Feb.).
JONES, I. F.—Yield under Plane-stress Conditions, 126–129 (March).

KE, J. S.—Deformation and the Strip Necking Zone in a Cracked Steel Sheet, 172–175 (April).
KEMPNER, J.—Stability of Oval Cylindrical Shells, 514–520 (Nov.).
KING, T. A.—Producing Epoxy-model Pressure Vessels for Fracture Tests, 46–48 (Jan.).
KORBACHER, G. K.—On the Modality of Fatigue-endurance Distributions, 540–547 (Dec.).
KROKOSKY, E. M.—Single-strand Strainwire Technique: Comparison with Existing Methods and a Proposed Photostrain Technique, 142–144 (March).
KROKOSKY, E. M.—Single-strand Strainwire Technique: Heating and Reinforcing Effects, 94–96 (Feb.).
KRUGER, D. S.—Experiments on the Stability of Spherical and Paraboloidal Shells, 254–262 (June).
KUMAR, R.—Experimental and Theoretical Analysis of the Vibrations of a Beam Having Bilinear Support, 263–270 (June).
KURZWEIL, L. G.—On the Measurement of Poisson's Ratio for Modeling Clay, 402–407 (Sept.).

LANGER, BERNARD F.—Design-stress Basis for Pressure Vessels, 1–11 (Jan.).
LEASURE, W. A.—Glass-bonding Techniques for Semiconductor Strain Gages, 235–240 (May).
LEDBETTER, W. B.—Holding Characteristics of Fasteners in Bone, 363–369 (Aug.).
LEE, C. H.—Holographic and Analytic Study of Semiclamped Rectangular Plate Supported by Struts, 229–234 (May).
LEVEN, M. M.—Photoelastic Determination of Stress-intensity Factors, 529–539 (Dec.).
LINDHOLM, J. C.—Design and Evaluation of a Testing Machine for Determining Tensile Properties of Materials at Moderate Strain Rates, 153–160 (April).
LIU, H. W.—Deformation and the Strip Necking Zone in a Cracked Steel Sheet, 172–175 (April).
LOMINAC, H. R.—Holographic and Analytic Study of Semiclamped Rectangular Plate Supported by Struts, 229–234 (May).
LUXMOORE, A. R.—The Rapid Deposition of Moiré Grids, 375–377 (Aug.).

MACLAUGHLIN, T. F.—Strain Analysis by Moiré-fringe Multiplication, 408–413 (Sept.).
MARINO, R. L.—Wave Propagation in a Layered Model Due to Point-source Loading in Low-impedance Medium, 210–216 (May).
MARK, R.—The Holographic Bed, 472 (Oct.).
MARLOFF, R. H.—Photoelastic Determination of Stress-intensity Factors, 529–539 (Dec.).
MATHEWS, C. B.—The Photoelastic Determination of the Stresses in Vibrating Cantilevered Beams, 284–288 (June).
MINCER, P. N.—The Fe-3Si Steel Etching Technique for Local Strain Measurement, 248–253 (June).
MIXSON, J. S.—Application of Pulsed Holographic Interferometry to the Measurement of Propagating Transverse Waves in Beams, 309–314 (July).
MIXSON, J. S.—Holographic Study of Propagating Transverse Waves in Plates, 357–362 (Aug.).
MOTE, C. D., JR.—Control of Circular-disk Stability with Membrane Stresses, 490–498 (Nov.).
MUKHERJEE, B.—Fatigue-crack Growth in Polymethylmethacrylate, 433–439 (Oct.).

NICHOLAS, THEODORE—Strain-rate and Strain-rate-history Effects in Several Metals in Torsion, 370–374 (Aug.).
NIEH, L. T.—Control of Circular-disk Stability with Membrane Stresses, 490 498 (Nov.).
NIESSEN, P.—Ultrasonic Detection of High-temperature Fatigue-crack Growth, 82–85 (Feb.).
NIGAM, A. K.—On the Measurement of Poisson's Ratio for Modeling Clay, 402–407 (Sept.).
NORTH, W. P. T.—The Diffractographic Strain Gage, 565–568 (Dec.).

O'REGAN, R.—A New Holographic Interferometer for Stress Analysis, 241–247 (June).
O'REGAN, R.—Measurement of the Strain Field Near a Crack Tip in Polymethylmethacrylate by Holographic Interferometry, 49–56 (Feb.).

PAPIRNO, RALPH—Plastic Stress-Strain History at Notch Roots in Tensile Strips under Monotonic Loading, 446–452 (Oct.).
PARKS, V. J.—An Error Associated with Graphical Parametric Operations, 429–432 (Sept.).
PARKS, V. J.—Elastoplastic Analysis of a Bent Circular Plate with a Central Hole, 453–460 (Oct.).
PARKS, V. J.—Temperature and Time Influence in the Stress Freezing of the Epoxy Hysol 4290, 33–37 (Jan.).

XUM

PARMERTER, R. R.—A Method of Simultaneously Recording Full-field Isoclinic Patterns at Several Isoclinic Angles, 414–417 (Sept.).
PAUL, BURTON—The Shifting Roles of Computers, Experiments and Analysis in Applied Mechanics, 385–393 (Sept.).
PAUL, JOHN P.—Load Actions on the Human Femur in Walking and Some Resultant Stresses, 113–120 (March).
PETERSON, H. A.—An Application of Holography to Complete Stress Analysis of Photoelastic Models, 560–564 (Dec.).
PETTIT, D. E.—A New Technique for Viewing Deformation Zones at Crack Tips, 280–283 (June).
PICKEL, T. W.—Evaluation of Creep Laws and Flow Criteria for Two Metals Subjected to Stepped Load and Temperature Changes, 202–209 (May).
PINDERA, J. T.—On the Studies of Residual Stresses in Glass Plates, 113–120 (March).
PLUNKETT, R.—Plate Impact and Plastic Deformation by Projectiles, 64–70 (Feb.).
POPOV, E. P.—Testing Facility for Frame Subassemblages, 337–345 (Aug.).
POST, D.—Strain Analysis by Moiré-fringe Multiplication, 408–413 (Sept.).
PRABHAKARAN, R.—A Class of Zero-birefringent Polymers, 26–31 (Jan.).
PRABHAKARAN, R.—Photo-orthotropic-elasticity, 346–356 (Aug.).
PRINGLE, O. A.—Effects of Molding Temperatures on Aqueous Fatigue Behavior of Polycarbonate, 507–513 (Nov.).
PRYOR, T. R.—The Diffractographic Strain Gage, 565–568 (Dec.).

RAHN, J.—A Method of Simultaneously Recording Full-field Isoclinic Patterns at Several Isoclinic Angles, 414–417 (Sept.).
RANGANAYAKAMMA, B.—Deflection Measurements Using Moiré Gap Effect, 296–302 (July).
RANSON, W. F.—Scattered-light Rosette, 554–559 (Dec.).
RAU, CHARLES A., JR.—Elastic-Plastic Strain Concentrations Produced by Various Skew Holes in a Flat Plate under Uniaxial Tension, 133–141 (March).
RAY, D. R.—Holding Characteristics of Fasteners in Bone, 363,369 (Aug.).
RECKER, W. W.—Plane Near-field Response of an Elastic Plate, 321–324 (July).
REINHARDT, HANS W.—Discussion of A Class of Zero-birefringent Polymers, 31–32 (Jan.).
RIEGNER, E. I.—Aluminum-reinforced Epoxy Models, 38–45 (Jan.).
RINGLER, T. N.—Photoelastic Determination of Stress-intensity Factors, 529–539 (Dec.).
ROBERTS, B.—Testing of Large Piping Components under Mechanical and Pressure Loadings, 178–184 (April).
ROSENFIELD, A. R.—The Fe-3Si Steel Etching Technique for Local Strain Measurement, 248–253 (June).
ROWLANDS, R. E.—Deformation and Fracture Around Lined and Unlined Cylindrical Cavities in Rock, 473–480 (Oct.).
RUMMELL, GRANT D.—Electronic-measurement Techniques Solve Soil-mechanics Problems, 19N–20N (Aug.).

SANFORD, ROBERT J.—Computer-simulated Stress-Optic Patterns, 418–420 (Sept.).
SANFORD, R. J.—Interpretation of Fringes in Stress-Holo-Interferometry, 161–166 (April).
SARMA, V. S. S. S. R.—Role of Light Ellipse in Photoelasticity and New Methods for Isoclinic-parameter Determination, 271-275 (June).
SCHAEFFER, B. J.—Deformation and the Strip Necking Zone in a Cracked Steel Sheet, 172-175 (April).
SCHUMANN, W.—On a Multiplication Technique Applied to Very Thin Photoelastic Coatings, 289–295 (July).
SCIAMMARELLA, C. A.—Optical Differentiation of the Displacement Patterns Using Shearing Interferometry by Wavefront Reconstruction, 97–104 (March).
SCOTESE, A. E.—Aluminum-reinforced Epoxy Models, 38–45 (Jan.).
SEGERLAND, LARRY J.—Stress-difference Elasticity and its Application to Photomechanics, 440–445 (Oct.).
SHAMAMY, M. M.—Comparison of Experimental and Theoretical Results for the Hydrostatic Bulging of Circular Sheets, 71–75 (Feb.).
SHUCK, L. Z.—Dynamic Micro-torque Transducer, 276–279 (June).
SIDEBOTTOM, T. W.—Evaluation of Creep Laws and Flow Criteria for Two Metals Subjected to Stepped Load and Temperature Changes, 202–209 (May).
SINHA, N. K.—On the Studies of Residual Stresses in Glass Plates, 113–120 (March).
SKOP, R. J.—Plane Near-field Response of an Elastic Plate, 321–324 (July).
SMITH, CLARENCE R.—Effective Stress Concentrations for Fillets in Landed Structures, 167–171 (April).
SMITH, C. W.—Influence of Precatastrophic Extension and Other Effects on Local Stresses in Cracked Plates under Bending Fields, 394–401 (Sept.).
SMITH, D. G.—Influence of Precatastrophic Extension and Other Effects on Local Stresses in Cracked Plates under Bending Fields, 394–401 (Sept.).
SRINATH, LAXMIPURAM S.—Principal-stress Differences in Transverse Planes of Symmetry, 130–132 (March).
SRINATH, L. S.—Role of Light Ellipse in Photoelasticity and New Methods for Isoclinic-parameter Determination, 271–275 (June).
ST-LAURENT, A.—A Portable Mechanical Force-Displacement Recorder, 19N (Dec.).
STROPE, D. H.—Holographic and Analytic Study of Semiclamped Rectangular Plate Supported by Struts, 229–234 (May).
SUZUKI, SHIN-ICHI—Measured Dynamic-load Factors of Cantilever Beams, Frame Structures and Rings Subjected to Impulsive Loads, 76–81 (Feb.).
SWINSON, W. F.—Establishing the Boundary Retardation with Respect to the Observed Fringes in Scattered-light Photoelasticity, 521–523 (Nov.).
SWINSON, W. F.—Scattered-light Rosette, 554–559 (Dec.).

THIRUVENGADAM, A.—On High-frequency Fatigue and Dynamic Properties at Elevated Temperature, 315–320 (July).
TODD, R. H.—Self-stress Concentrations, 548–553 (Dec.).

VALENTICH, JOSEPH—Radio Telemetry in Experimental Stress Analysis, 569–576 (Dec.).

WADE, L.—Single-strand Strainwire Technique: Comparison with Existing Methods and a Proposed Photostrain Technique, 142–144 (March).
WADE, L.—Single-strand Strainwire Technique: Heating and Reinforcing Effects, 94–96 (Feb.).
WANG, N. M.—Comparison of Experimental and Theoretical Results for the Hydrostatic Bulging of Circular Sheets, 71–75 (Feb.).
WILSON, A. D.—Holographic and Analytic Study of Semiclamped Rectangular Plate Supported by Struts, 229–234 (May).
WILSON, J. F.—Stability Experiments on the Strongest Columns and Circular Arches, 303–308 (July).
WITT, F. J.—Size Effects and Energy Disposition in Impact-specimen Testing of ASTM A 533 Grade B Steel, 193–201 (May).
WOODRUFF, N.—Glass-bonding Techniques for Semiconductor Strain Gages, 235–240 (May).
WRIGHT, J. E.—Application of Pulsed Holographic Interferometry to the Measurement of Propagating Transverse Waves in Beams, 309–314 (July).

YOUNG, DONALD F.—Basic Principles and Concepts of Model Analysis, 325–336 (July).

ZELONKA, J. R.—Single-strand Strainwire Technique: Heating and Reinforcing Effects, 94-96 (Feb.).
ZELONKA, J. R.—Single-strand Strainwire Technique: Comparison with Existing Methods and a Proposed Photostrain Technique, 142–144 (March).